

AD-A062 594

SCRIPPS INSTITUTION OF OCEANOGRAPHY LA JOLLA CALIF
ORIGIN AND GENERATION OF WAVES, (U)

F/6 8/3

UNCLASSIFIED

DEC 51 W H MUNK
SIO-REF-51-57

W-49-055-ENG-3

NL

| OF |

AD
A062594



END
DATE
FILMED
3-79

DDC



AD-A062594

**UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY**

Origin and Generation of Waves

WALTER H. MUNK

(Proceedings of First Conference on Coastal Engineering,
Long Beach, California, October 1950. This paper appears
as Chapter I in the Proceedings.)

Sponsored by


Office of Naval Research
Project NR-083-005
Contract N6ori-111, Task VI

and

U. S. Army Beach Erosion Board
Contract W-49-055 eng 3

420290

Reference 51-57
Wave Report No. 99
15 December 1951



DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

AD-A062594

①

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

ORIGIN AND GENERATION OF WAVES

Walter H. Munk

(Proceedings of First Conference on Coastal Engineering,
Long Beach, California, October 1950. This paper appears
as Chapter 1 in the Proceedings.)

Sponsored by

Office of Naval Research
Project NR-083-005
Contract N6ori-111, Task VI

and

U. S. Army Beach Erosion Board
Contract W-49-055 eng 3

Reference 51-57
Wave Report No. 99
15 December 1951

ACCESSION FOR	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION: <i>Per H. on file</i>	
RE: Copyright Notice: DDC and NTIS has permission to copy and sell this doc.	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL and/or SPECIAL
A	

DDC
RECEIVED
DEC 28 1978
D

Approved for distribution:

Roger Revelle

Roger Revelle, Director

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

CHAPTER 1

ORIGIN AND GENERATION OF WAVES*

Walter H. Munk
Institute of Geophysics and Scripps Institution of Oceanography
University of California
La Jolla, California

INTRODUCTION

It is no more possible to speak of the origin of ocean waves than it is to speak of the origin of sound waves, or of electromagnetic waves. Different types of waves exist, often simultaneously, and these differ from one another with respect to their origin and generation.

A convenient classification can be made on the basis of wave period, i.e., the time interval between the passage of successive crests at a fixed point. Tentatively we may use the following major divisions (Fig. 1):

Classification	Period
Capillary waves	less than 0.1 sec.
Ultra-gravity waves	from 0.1 sec. to 1 sec.
Ordinary gravity waves	from 1 sec. to 30 sec.
Infra-gravity waves	from 30 sec. to 5 min.
Long-period waves	from 5 min. to 12 hours
Ordinary tides	12 hours to 24 hours
Trans-tidal waves	24 hours and up

These ranges correspond to bands in the spectrum of electromagnetic waves and altogether constitute the spectrum of ocean waves.




Fig. 1. Tentative classification of ocean waves according to wave period. The forces responsible for various portions of the spectrum are shown. The relative amplitude is indicated by the curve.

*Contribution from the Scripps Institution of Oceanography, New Series No. 531. This work represents results of research carried out for the Office of Naval Research, Department of the Navy, and the Beach Erosion Board, Department of the Army, under contract with the University of California.

COASTAL ENGINEERING

APPLICATION OF SPECTRUM

Virtually all the energy of the spectrum is contained in two of the period ranges: the ordinary gravity waves, and the ordinary tides. These are the ones that can be noticed with the naked eye, the ones that have affected mankind since the dawn of history. In the minds of this group the term "waves" is virtually synonymous with the ordinary gravity waves, and we shall be concerned chiefly with them.

However, it is not just for academic reasons that the entire spectrum is discussed. There are some engineering applications that are definitely concerned with periods other than those of the ordinary gravity waves or the tides. The reason usually has to do with "resonance." For example, an artificial harbor with a natural period of oscillation of 2 min. may develop troublesome 2-min. surges, and these depend largely on infra-gravity waves, even though these waves are only a few inches high and completely obscured by much higher waves of shorter period. A ship with a natural roll of 5-sec. period is greatly affected by waves of about 5-sec. period, but only slightly affected by a 14-sec. swell, even though the swell may be much higher. The effectiveness of RADAR is limited by "sea clutter" due to reflection and scatter from capillary waves, rather than the higher wind waves. There are other examples, and they will be covered in the following chapters.

THE STUDY OF THE WAVE SPECTRUM

The scientific problem is to study the origin of the entire wave spectrum, and, as a final test of such efforts, to predict it. Once the spectrum is known, it is the problem of the engineer to evaluate its effect on engineering structures, harbors, and many other things. There has been considerable success in predicting tides, and for most practical application these predictions are adequate. There has been moderate success in predicting wind waves and swell. This subject is discussed by R. S. Arthur in Chapter 8. Briefly reviewed below is the little that is known regarding the fundamentals of wave generation, starting with the waves of shortest period.

CAPILLARY WAVES

This portion of the spectrum is affected to a larger extent by surface tension than by gravity. Very roughly we may include waves of periods less than 0.1 sec. The appropriate wave lengths are shorter than one inch. The velocity increases with decreasing period and length, but always exceeds 0.75 ft. per sec.

These waves are caused by wind, but we know nothing of their mode of origin. They are greatly affected by surface-active agents, such as oils and detergents. They are rapidly damped by viscous forces, and apparently require winds above 3 ft. per sec. for their generation. These waves determine largely the optical effects of the surface. One convenient way of studying them is to photograph the glitter of the sun on the water surface. These capillary waves are also largely responsible for what might be termed the inherent roughness of the surface. As such they determine the effectiveness with which the wind can grip the water. This in turn enters in the study of currents, the piling up of water by on-shore winds (storm tides), and also in the generation of longer period waves.

ULTRA-GRAVITY AND ORDINARY GRAVITY WAVES

Again we deal with waves which owe their existence to the wind. Two mechanisms by which the wind may cause these waves to grow are, (a) an excess in pressure on the windward side of waves compared to the pressure on the leeward side, (b) tangential drag on the water surface, assuming waves to have a mass transport according to the irrotational theory. These are the two mechanisms which form the basis of the forecasting method described in Chapter 8. They are of about equal

ORIGIN AND GENERATION OF WAVES

magnitude. There are a number of other possible mechanisms for explaining wave growth, and some of these are now being investigated. All these processes already require the existence of a wave, though possibly one of very small height, in order for the wind to transfer energy to it and to make it grow. However, such a distinction between "origin" and "growth" does not appear to be of practical importance. It seems safe to assume that the impulses received by the sea surface as a consequence of the gustiness of the wind assures a steady supply of very low waves of all length.

The outstanding weakness of present theories concerning the generation of waves is that they do not allow for the variability of the ordinary gravity waves. The theories are concerned only with the higher waves present. They say nothing about the character of the waves twice the period of the higher waves, or half their period.

Consider a rather severe storm, capable of raising a sea for which the higher waves are 20 ft. high and have a period of 10 sec. At the same time there will be present longer waves and shorter waves. The longest waves may have periods up to 25 sec. The height of the 20-sec. waves is perhaps only one foot, and to the naked eye these long waves are obscured by the higher waves present. Owing to the fact that in deep water the velocity of the waves is proportional to their period, these long waves will travel ahead of the heavy swell and may reach land several days prior to the arrival of the highest waves. The practical application of these "forerunners" of the swell in providing a warning of higher waves to come (and possibly the storm itself) has been demonstrated in the Atlantic and Pacific.

Measurements of swell, and forerunners of swell, indicate a remarkably slow attenuation of these waves after they have left the storm area. We are recording in California waves from violent storms in all parts of the Pacific to which we are exposed. As a matter of fact, our heavy summer swell has its origin in the roaring forties of the South Pacific Ocean, 5000 miles and 10 days travel time removed from here. Some allowance for a decrease in wave height and a shift towards the longer periods has been made in existing theories. Measurements at Oceanside, California by the Department of Engineering, University of California, Berkeley, indicate that the present estimates of period increase in swell are in error (Wiegel and Kimberley, 1950).

INFRA-GRAVITY WAVES

Instruments especially adapted for the recording of the long waves have revealed the presence of 2-min. waves that are related to the variability in the incoming ordinary gravity waves. A series of high breakers temporarily raises the water level, a series of low breakers permits the level to fall. This oscillation (surf-beat) appears to be propagated seaward from the surf zone. Just outside the surf zone the amplitude of the surf-beat is 10 percent of that of the mean breakers.

These long waves in their travel seaward are greatly affected by the bottom topography over the entire continental shelf. Isaacs, Williams, and Eckart (1951) have shown that they may even be turned around completely and returned to shore. Calculations show that in depths of several hundred feet the orbital velocities near the bottom associated with the surf beat is likely to be larger than the corresponding velocities of the incoming ordinary gravity waves. A pipe line along the bottom at such depths would be affected principally by such long-period waves. Oscillations in bays and harbors (seiches) may be the result of surf beat.

LONG-PERIOD WAVES

Fairly well defined waves of 15- to 20-min. periods have also been recorded at La Jolla and Oceanside, California. The origin of these waves remains obscure, although a correlation with the meteorological situations is strongly indicated. Some of the remarks made in relation to the surf beat apply here also. These waves are small, hardly more than 2 in. in amplitude.

COASTAL ENGINEERING

Waves of somewhat the same period, but of much larger height, result from the sudden displacement of the sea bottom during submarine earthquakes. Popularly these are known as "tidal waves," but since they have nothing to do with the tides, we prefer to use the Japanese word "tsunamis." In Hilo, Hawaii, a tsunami of destructive intensity seems to come about once every 20 years. Protection against such tsunamis is certainly the No. 1 problem of coastal engineering in the Hawaiian area. The construction of a 15 ft. sea wall along the waterfront in Hilo is now being seriously considered. Fortunately the coast of Southern California does not seem to be subject to destructive tsunamis. The largest tsunami waves here that have come to my attention were recorded in the Mission records of San Diego: 2.5 ft.

ORDINARY TIDES

These are caused by the sun and moon. As a whole, the two contribute about equally, since the very much larger mass of the sun is just about compensated for by its larger distance. Most of the energy goes into the semi-diurnal and diurnal periods (the "ordinary" tides), and these are of the same order of magnitude along our coast as the ordinary gravity waves. In most instances, but not always, the effect of the wind on waves of ordinary tide period is relatively small, and the forecast based only on the astronomic factors is satisfactory. It should be added that the forecasts are largely empirical: only the periods of the components are computed from astronomical considerations, whereas the amplitude and phase of each component is determined from tide records at or near the locality for which the forecast is made.

TRANS-TIDAL WAVES

There are various components of solar and lunar tides in this range of periods, but these tend to be outweighed by the meteorologic factors. The situation is therefore reversed from what is found in the ordinary tide range.

In the river Thames non-tidal variations in water level of several days duration have been observed. There seems to be a correlation between such variations and the passage of storms over the Wyville Thompson ridge in the North Atlantic.

There are also seasonal variations in water level related to the variations in ocean current, and hence indirectly to the prevailing winds. It is not generally known that along the coast of Southern California the mean sea level in the summer is $\frac{2}{3}$ of a foot above that in the winter.

We could go on, and consider variations in sea level that have taken place in climatic cycles. For example, the oceans are believed to be rising $\frac{1}{2}$ foot per century.

CONCLUSIONS

Any shore installation is, therefore, under the influence of waves ranging in periods from milliseconds to years. The underlying causes of these waves are the winds, directly or indirectly; the sun and moon, and submarine earthquakes. By far the largest part of the spectrum reflects the action of the wind. The wind is most effective in raising waves whose periods lie between 5 sec. and 15 sec. These can be predicted, in a manner. The fact that shorter and longer waves are of smaller height does not mean that they are of no practical consequence. In 10 to 20 years we may be able to predict the entire spectrum of wind generated waves.

REFERENCES

- Isaacs, J.D., Williams, E.A., and Eckart, C. (1951). Total reflection of surface waves by deep water; Trans. Amer. Geophys. Union, vol. 32, pp. 37-40.
Wiegel, R.L., and Kimberley, H.L. (1950). Southern swell observed at Oceanside, California; Trans. Amer. Geophys. Union, vol. 31, pp. 717-722.

SIO-S-1

DISTRIBUTION LIST

Commanding Officer
Air Force Camb. Res. Cen.
Att'n: ERHS-1, Mr. Groos
230 Albany St.
Cambridge 39, Mass.

Chief, Air Weather
Service, MATS
Andrews Air Force Base
Washington 25, D.C.

President
U.S. Army Beach Ero. Bd.
5201 Little Falls Rd., NW
Washington 16, D.C.

Bingham Oceano. Found.
Yale University
New Haven, Conn.

Chief, Bureau of Ord.
Navy Department
Washington 25, D.C.

Chief
Bureau of Yards & Docks
Navy Department
Washington 25, D. C.

Carnegie Inst. of Wash.
Att'n: Geophysical Lab.
Washington, D. C.

Commandant
U.S. Coast Guard
1300 E. St., NW
Washington, D. C.

U.S. Fish & Wildlife Ser.
Dept. of the Interior
Att'n: Director
Washington 25, D. C.

Directorate for Geophysical
Research, Air Force Cambridge
Research Center
230 Albany St.
Cambridge 39, Mass.

Amer. Museum of Nat. History
Central Park West at 74th St.
New York 24, N.Y.

U.S. Army Beach Eros. Bd.
Att'n: Corps of Engs., OCE
5201 Little Falls Road, NW
Washington 16, D.C.

Bernice P. Bishop Museum
Honolulu 35, T. H.

Chief, Bu. of Ships
Att'n: Code 845
Navy Department
Washington 25, D.C.

Calif. Acad. of Sciences
Att'n: Director
Golden Gate Park
San Francisco, Calif.

Chesapeake Bay Institute
Attn: Director
Johns Hopkins University
Baltimore, Md.

U.S. Coast Guard
Att'n: Aerology and Oce.
Sec., Room 7132
1300 E. St., NW
Washington, D.C.

U.S. Fish & Wildlife Serv.
Dept. of the Interior
Att'n: Librarian
Washington 25, D. C.

Chief
Air Weather Serv.
Dept. of the Air Force
Washington, D. C.

The Chief
Armed Forces Special
Weapons Project
P.O. Box 2610
Washington, D.C.

Asst. Naval Attache
for Research
American Embassy
Navy 100, c/o F.P.O.
New York, N.Y.

Chief
Bureau of Aeronautics
Navy Department
Washington 25, D.C.

Chief, Bu. of Ships
2 Att'n: Code 847
Navy Department
Washington 25, D. C.

Carnegie Inst. of Wash.
Att'n: Dept. of
Terrestrial Magnetism
Washington, D. C.

U.S. Coast & Geodetic
Survey
Department of Commerce
Att'n: Director
Washington, D. C.

Corps of Engs., U.S.
Army, Office of the
District Eng.
San Francisco District
180 New Montgomery
San Francisco, Calif.
U.S. Fish & Wildlife Serv.
Pac.Oce. Fish. Inves.
Att'n: Library
P.O. Box 3830
Honolulu, T. H.

SIO-S-2

DISTRIBUTION LIST

U.S. Fish & Wldlfe. Ser.
Pac. Oceanic Fish. Inv.
Att'n: Sec. of Res.
and Dev.
P.O. Box 3830
Honolulu, T.H.

Allan Hancock Found.
Univ. of So. Calif.
Los Angeles 7, Calif.

Hydrographic Office
2 Att'n: Librarian
Navy Department
Washington 25, D.C.

Dept. Chief of Naval
Operations for Air
Sero. Sec. Flight Div.
Navy Department
Washington, D. C.

Director
U.S. Naval Res. Lab.
Anacostia Station
Washington 20, D.C.

U.S. Navy Elec. Lab.
Att'n: Code 550
San Diego 52, Calif.

Director
U.S. National Museum
Washington, D. C.

New York University
Att'n: Librarian
College of Engineering
University Heights
New York 53, N. Y.

Commanding Officer
Office of Nav. Res.
America Fore Bldg.
844 N. Rush St.
Chicago 11, Ill.

Geological Soc. of America
419 W. 117th St.
New York 27, N.Y.

Hydrographic Office
Att'n: Hydrographer
Navy Department
Washington 25, D.C.

Sir Claude Inglis, C.I.E.
Director of Hydraulics Res.
c/o Office of Nav. Res.
Dr. Office, Navy #100, F.P.O.
New York, N.Y.

Commanding Officer
U.S. Nav. Ordnance Lab.
Silver Spring 19, Md.

Naval Res. Lab.
9 Att'n: Technical Info.
Officer
Washington 25, D. C.

U.S. Navy Underwater Sound Lab.
Fort Trumbull
New London, Conn.

Nat'l. Res. Council
Att'n: Comm. on Undersea
Warfare
2101 Constitution Ave, NW
Washington 25, D. C.

New York University
Att'n: Dr. Bernhard Haurwitz
Dept. of Meteorology
University Heights
New York 53, N. Y.

Commanding Officer
Office of Naval Research
346 Broadway
New York 13, N. Y.

U.S. Geol. Survey
Dept. of the Interior
Washington, D.C.

Hydrographic Office
25 Att'n: Div. Oce.
Navy Department
Washington 25, D.C.

Lamont Geol. Observ.
Att'n: Director
Palisades, N. Y.

Naval Postgraduate Sch.
Att'n: Dept. of
Aerol. Engineering
Monterey, Calif.

U.S. Navy Elec. Lab.
Att'n: Code 610
San Diego 52, Calif.

Chairman, Nat'l. Adv.
Comm. for Aeronautics
Att'n: Mr. Eugene B.
Jackson, Chief, O.N.I.
1724 F. St, N.W.
Washington, D.C.

Chief of Nav. Res.
Office of Nav. Res.
2 Att'n: Code 416
Washington 25, D.C.

Commanding Officer
Office of Nav. Research
150 Causeway St.
Boston 14, Mass.

Officer in Charge
Office of Nav. Res.
Navy #100, F. P. O.
New York, N. Y. 2

DISTRIBUTION LIST

Commanding Officer
Office of Naval Res.
1030 E. Green St.
Pasadena 1, Calif.

Commanding Officer
Office of Nav. Res.
1000 Geary St.
San Francisco 9, Calif.

Pacific Oce. Group
c/o Pacific Biol. Sta.
Nanaimo, B.C., Canada

Office of the Quarter-
master General
Military Planning Div.
Res. and Dev. Branch
Washington 25, D. C.

Res. and Dev. Board
Nat'l. Military Estab.
Att'n: Comm. on Geophysics
and Geography
Washington 25, D. C.

Commanding General
Res. and Dev. Division
Dept. of the Air Force
Washington 25, D. C.

Commanding General
Res. and Dev. Division
Department of the Army
Washington 25, D. C.

Smithsonian Institution
Att'n: Director
Washington, D. C.

David Taylor Mod. Basin
Navy Department
Washington 7, D. C.

Dept. of Oceanography
Texas A. & M.
College Station, Texas

Univ. of British Columbia
Institute of Oceanography
2 Att'n: Wm. M. Cameron
Vancouver, B.C., Canada

University of Chicago
Dept. of Meteorology
Chicago 37, Calif.

Marine Laboratory
Att'n: Director
University of Miami
Coral Gables, Fla.

Oceanographic Laboratories
Att'n: Director
University of Washington
Seattle, Washington

Univ. of California
The General Library
2 Att'n: Gifts & Exchs.
Berkeley 4, Calif.

Univ. of California
College of Engineering
Berkeley 4, Calif.

University of California
Institute of Geophysics
Los Angeles 24, Calif.

University of California
Scripps Inst. of Oce.
Att'n: Director
La Jolla, California

Univ. of Calif.
Scripps Inst. of Oce.
Att'n: Library
La Jolla, Calif.

University of California
Scripps Inst. of Oceanography
Att'n: Director, Marine
Physical Laboratory
La Jolla, Calif.

Waterways Eng. Station
Vicksburg, Miss.

Waterways Exper. Sta.
P. O. Box 631
Halls Ferry Road
Vicksburg, Miss.

U.S. Weather Bureau
Att'n: Director
24th and M Sts., D. C.
Washington 25, D. C.

U.S. Weather Bureau
Att'n: Librarian
24th and M Sts., NW
Washington 25, D. C.

Woods Hole Oce. Inst.
2 Att'n: Director
Woods Hole, Mass.